



ADVANCE LIFTS[®]



**SERIES 100 ENTRY LEVEL
STRETCH WRAPPERS**



SERIES 100 ENTRY LEVEL STRETCH WRAPPERS

These are our most economical and basic models that are suitable for low volume stretch wrapping operations. These units offer a giant step up in safety and productivity from simply walking around a load with a roll of film in hand. The cost/benefit ratio of these basic machines is very attractive.



MODEL 100

* This is a basic turntable with footswitch control. This allows the operator to stand in one place while holding the film roll.

Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
** SW100L40	4000	52 X 52	3-1/4	60	8	115/60/1	950
SW100H60	6000	52 X 52	9-1/2	48	8	115/60/1	600



MODEL 125

* This is a basic turntable with footswitch control, a mast and a counter balanced film dispenser which the operator manually raises and lowers. Film tension is adjustable with a simple friction knob on the top of the film roll.

Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
** SW125L40	4000	52 X 52	3-1/4	60	8	115/60/1	1050
SW125H60	6000	52 X 52	9-1/2	48	8	115/60/1	750

* ALL UNITS ARE EQUIPPED WITH FORK POCKETS FOR PORTABILITY.
 ** OPTIONAL RAMPS ARE AVAILABLE FOR ALL LOW UNITS (L40'S).

SERIES 100 ENTRY LEVEL STRETCH WRAPPERS

With each step up within these models, there is an increase in operator efficiency and safety. The easier the wrapping job becomes, the faster the operator can work and the quality of the wrapping operation becomes far more consistent. As the volume of wrapping work increases, the savings available to you by model upgrades becomes more and more valuable.



Optional ramp shown in photo.

MODEL 150

* This model consists of a turntable with mast, a film dispenser with simple friction film tensioner and a powered lift for the dispenser assembly. The operator's work during the wrapping is reduced to controlling the turntable speed and dispenser lift via switches. There also is a lower limit switch and adjustable upper limit switch for the dispenser lift.

Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
** SW150L40	4000	52 X 52	3-1/4	60	12	115/60/1	1250
SW150H60	6000	52 X 52	10-3/4	48	12	115/60/1	1150



MODEL 175

* This model is the same as the model 150, except we have added a "geared mechanical prestretch" device that provides 88% prestretch. This means the film is stretched to 188% of its original size for substantial film savings and tighter loads as the film tries to shrink back to its original size.

Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
** SW175L40	4000	52 X 52	3-1/4	60	12	115/60/1	1285
SW175H60	6000	52 X 52	10-3/4	48	12	115/60/1	1185

* ALL UNITS ARE EQUIPPED WITH FORK POCKETS FOR PORTABILITY.
 ** OPTIONAL RAMPS ARE AVAILABLE FOR ALL LOW UNITS (L40'S).



Our state of the art 120,000 square foot building houses all operations including sales, design, manufacturing and shipping.

ADVANCE LIFTS STRETCH WRAPPER WARRANTY

For a period of one year from date of shipment from the Company's plant, the Company agrees to replace or repair free of charge, any defective parts, material or workmanship on new equipment.

For an additional two years beyond the first year of warranty, the Company shall replace or repair any parts returned to the Company freight prepaid, subject to factory inspection and determination of cause of failure. This warranty is not limited by the number of cycles, but does not include normal wear items such as chains, sprockets, belts, rollers & shafts.

For a period of five years from date of shipment from the Company's plant, the company agrees to repair or replace any defective structural component.

Company authorization must be obtained prior to commencement of any work. The Company reserves the right of final determination in all warranty considerations. Evidence of low supply voltage, overloading, abuse, neglect or field modification without written Company approval shall void this warranty. No contingent liabilities will be accepted.

Damage incurred in transport is the responsibility of the carrier and is not covered by this warranty. Any damage detected upon receipt of equipment should be immediately reported to the carrier. If you need assistance filing your claim please contact Advance Lifts.

**FOR UNITS WITH PROGRAMMABLE CONTROLLERS AND GREATER
PRESTRETCH CAPABILITIES, SEE OUR SERIES 300 & 200
SEMI AUTOMATIC STRETCH WRAPPER CATALOG.**

DISTRIBUTED BY:



701 S. Kirk Road
St. Charles, IL 60174
Ph: 1-800-843-3625
Fax: 630-584-9405
www.advancelifts.com