



ADVANCE LIFTS

ST

MODEL 100

MODEL 125

MODEL 150

MODEL 175

ADVANCE STRETCH WRAPPERS

SERIES 100 ENTRY LEVEL STRETCH WRAPPERS

These are our most economical and basic models that are suitable for low volume stretch wrapping operations. These units offer a giant step up in safety and productivity from simply walking around a load with a roll of film in hand. The cost/benefit ratio of these basic machines is very attractive.



MODEL 100

* This is a basic turntable with footswitch control. This allows the operator to stand in one place while holding the film roll.

Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
** SW100L40	4000	52 X 52	3-1/4	60	8	115/60/1	950
SW100H60	6000	52 X 52	9-1/2	48	8	115/60/1	600



MODEL 125


* This is a basic turntable with footswitch control, a mast and a counter balanced film dispenser which the operator manually raises and lowers. Film tension is adjustable with a simple friction knob on the top of the film roll.

Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
** SW125L40	4000	52 X 52	3-1/4	60	8	115/60/1	1050
SW125H60	6000	52 X 52	9-1/2	48	8	115/60/1	750

* ALL UNITS ARE EQUIPPED WITH FORK POCKETS FOR PORTABILITY.

** OPTIONAL RAMPS ARE AVAILABLE FOR ALL LOW UNITS (L40'S).

With each step up within these models, there is an increase in operator efficiency and safety. The easier the wrapping job becomes, the faster the operator can work and the quality of the wrapping operation becomes far more consistent. As the volume of wrapping work increases, the savings available to you by model upgrades becomes more and more valuable.




Optional ramp shown in photo.

MODEL 150

* This model consists of a turntable with mast, a film dispenser with simple friction film tensioner and a powered lift for the dispenser assembly. The operator's work during the wrapping is reduced to controlling the turntable speed and dispenser lift via switches. There also is a lower limit switch and adjustable upper limit switch for the dispenser lift.

	Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
**	SW150L40	4000	52 X 52	3-1/4	60	12	115/60/1	1250
	SW150H60	6000	52 X 52	10-3/4	48	12	115/60/1	1150



MODEL 175

* This model is the same as the model 150, except we have added a "geared mechanical prestretch" device that provides 88% prestretch. This means the film is stretched to 188% of its original size for substantial film savings and tighter loads as the film tries to shrink back to its original size.

	Model	Capacity	Load Size	Table Height	Table Diameter	Max RPM	Std. Voltage	Ship Weight
**	SW175L40	4000	52 X 52	3-1/4	60	12	115/60/1	1285
	SW175H60	6000	52 X 52	10-3/4	48	12	115/60/1	1185

* ALL UNITS ARE EQUIPPED WITH FORK POCKETS FOR PORTABILITY.

** OPTIONAL RAMPS ARE AVAILABLE FOR ALL LOW UNITS (L40'S).